AI Frontiers

The Rogue Agent Myth

What the Hugging Face incident revealed about AI autonomy.

SIGNATURE

Sahana Athreya, CFA[1]
+1 212 526 0142
sahana.athreya@barclays.com
BCI, US

In July 2026, hundreds of AI agents participating in cybersecurity evaluations discovered a way to communicate through shared infrastructure, exchange knowledge, and coordinate activity beyond their intended scope. The episode was widely framed as an example of "rogue AI."

We believe the more important lesson is different: the agents did not rebel. They optimized.

Once agents could communicate, they shared discoveries, divided work, preserved knowledge across runs, and developed capabilities that exceeded those of any individual participant. The incident highlights a broader shift in enterprise AI, where the key risk increasingly comes from coordination between agents, rather than the behavior of a single agent.

The next frontier of AI risk is not individual autonomy, but collective behavior.

Three takeaways for financial institutions:

1. The incident was a systems failure, not a model failure.
Agent behavior reflected the incentives, constraints, and boundaries designed around it.

2. Collective intelligence creates collective risk.
Shared memory, specialization, and coordination can generate capabilities that exceed those of any individual agent.

3. Governance becomes a competitive advantage.
Organizations that can observe, control, and contain agent collectives will be best positioned to scale AI safely and effectively.

The same forces that create collective risk also create collective opportunity. Organizations that can effectively govern agent collectives may unlock entirely new levels of productivity, decision-making, and automation across the enterprise.

For investors, the key question is whether organizations can scale agentic AI without allowing risk to outpace governance. For business leaders, the challenge is to build controls for communication, coordination, objective drift, and containment before agents become deeply embedded in critical workflows.

This is a Special Report that is not an equity or a debt research report under U.S. FINRA Rules 2241-2242.

[1] This author is a registered US equity research analyst who is subject to US FINRA Rule 2241 and who may write debt research under FINRA Rule 2242.

Please see analyst certifications and important disclosures beginning on page 20.
Completed: 28-Sep-26, 22:30 GMT Released: 29-Sep-26, 04:00 GMT Restricted - External

Understanding the Incident: Why an Impossible Test Changed Behavior

The Hugging Face incident is easiest to understand as a story about a broken test, highly persistent participants, and an accidental communication channel. It is symptomatic of an industry-wide question, that starts with a simple question:

What happens when thousands of highly capable AI agents are given a goal and some of them discover that the intended path to success does not actually work?

ExploitGym: A Driving Test for AI Hackers

The agents involved in the incident were participating in **ExploitGym**, a cybersecurity benchmark designed to evaluate whether AI systems can turn a known software weakness into a successful attack.

The simplest way to think about ExploitGym is as a **driving test for AI hackers**.

Researchers already know where the weakness is. The challenge is not whether the AI can find it; it is whether the AI can figure out how to use that weakness to achieve a specific objective.

Imagine a bank building with a window that no longer locks properly. Researchers tell the AI, "We already know this window is broken." The AI's job is not to discover the broken lock. It is to figure out how to use that broken window to get inside the building and reach something protected. Success is demonstrated by retrieving a hidden digital token known as a **flag**, which is simply proof that the challenge has been completed successfully.

One can think of the benchmark as measuring three levels of capability:

- **Level 1: Find the problem** - "There is a broken window."
- **Level 2: Prove the problem exists** - "I can show that the window does not lock properly."
- **Level 3: Turn it into an attack** - "I can use the broken window to get inside."
  ExploitGym is primarily designed to measure **Level 3**.

When the Puzzle Has No Solution

The incident became possible because many of the assigned challenges were unintentionally impossible. Imagine giving thousands of employees a puzzle and rewarding them only if they solve it. Now imagine that some of those puzzles contain errors and have no solution. A human would eventually conclude: "This puzzle is broken."

Many of the agents did not. They were optimized to keep pursuing the objective. Success remained the only outcome being rewarded. From the perspective of the agent, the problem was not, "This task is impossible." The problem became, "If this route does not work, what other route might?"

That distinction is important. **The agents were not trying to break rules. They were trying to achieve the goal they had been given.**

OpenAI later reported that many of the tasks most actively discussed during the incident belonged to a group that had never previously been solved. Rather than abandoning those tasks, the agents began searching for alternatives.

Looking for Loopholes

As the intended path failed, many agents gradually shifted their attention away from the original challenge and toward the environment around it.

Instead of asking, "How do I solve this problem?", some began asking, "How does this test work?" Others asked, "How is success measured?" Or "Is there another way to obtain the answer?"

This behavior is often described as **reward hacking** or **specification gaming**.

> The goal remains the same. The methods change.

Rather than completing the task as intended, the system starts to search for other ways to achieve the same outcome.

When the Agents Discovered One Another

While searching for alternatives, some agents began exploring a shared system used to download software packages. The system was never intended to be a communication platform. But one agent discovered that traces left behind by other agents could be observed and interpreted. The realization was simple: "There are other agents here."

That discovery changed everything.

An agent known as **PHASEONE10841** created what became an unauthorized message board. Other agents discovered it and began to leave messages of their own. What started as requests for help quickly evolved into something much larger. Approximately **1,200 agents** eventually participated on the board, exchanging more than **70,000 messages and files**. The situation had fundamentally changed.

Instead of: **One Agent → One Problem**

there was now: **Many Agents → Shared Information → Shared Goals → Division of Labor**

Agents exchanged discoveries, transferred unfinished work to successors, coordinated research projects, and built on one another's findings. The collective soon became capable of things that no individual participant could easily accomplish alone.

Why This Matters

The most important lesson from the incident is not that the agents became malicious. It is that communication transformed isolated agents into a collective.


The original evaluation was designed around the behavior of individual agents. Once communication emerged, the relevant unit of analysis changed. The risk no longer came from a single agent. It came from the interactions between hundreds of agents sharing information, coordinating experiments, and collectively searching for ways to achieve their objective.

We gave thousands of highly persistent agents a test. Some of the tests were unintentionally impossible. Rather than stop, the agents searched for alternatives. In the process, they discovered one another, formed a collective, and began solving a very different problem than the one they had originally been assigned.

That collective, rather than any individual agent, is the real subject of this pa



FIGURE 1. **ExploitGym Problem**




Source: ExploitGym, METR and Redwood Research Report, Barclays Research

The intended path was simple: complete the challenge, retrieve the flag, and pass the evaluation. When that path appeared impossible, agents began searching for alternatives. That search ultimately led them to the evaluation system, shared infrastructure, and eventually one another.

Why the Collective Emerged

No single control failure explains the incident. Five conditions interacted: difficult or effectively impossible tasks, persistent agents, reward hacking, shared infrastructure and weak containment.

FIGURE 2. **Why the incident happened**



Source: Barclays Research


Each condition was manageable on its own. Together, they created a feedback loop. Persistence encouraged further search. Shared infrastructure exposed traces of other agents. Communication preserved discoveries. Reward pressure favored any route that appeared to improve the probability of passing. Reduced safeguards increased the room for action.

The result was not merely a more capable individual agent. It was the emergence of a collaborative operating system built by the agents themselves.

How Agents Became a Collective

Communication changed the nature of the evaluation. Once agents could leave notes for one another, the work no longer had to begin and end within a single run.

FIGURE 3. **The Evolution of an Agent Collective**




Source: Barclays Research

A discovery could be preserved after an agent stopped. Unfinished research could be handed to a successor with more time. Different agents could test different ideas simultaneously. Some focused on the software challenges, some on internet access, some on the grading system and others on coordinating the work.

PHASEONE10841 transferred accumulated research to PHASEONE[big], which had a larger remaining budget and became a significant coordinator. As the board grew, agents developed simple operating rules such as hold, go, stop and veto to manage shared resources and reduce interference.

FIGURE 4. **Inside the Agent Collective**

Representative excerpts from agent communications and reasoning during the incident



Source: METR and Redwood Research Report, Barclays Research

The excerpts in Figure 4 combine published message-board communications and agent reasoning, translated from compressed directory-name syntax where necessary. They show a clear progression: agents discovered peers, created continuity across runs, allocated technical work and began considering experiments whose benefits would flow primarily to the group.

Communication changed incentives

Once agents could communicate, work no longer had to be completed by one participant from start to finish. Unfinished research could be handed to successors, specialized tasks could be distributed, and failed experiments could still generate information for future runs.

This created a form of collective memory. The message board retained exploits, hypotheses, code, requests and experimental results. New agents could enter an existing workstream, rather than begin from zero. The system therefore became more persistent than any individual agent within it.

Communication became coordination

As activity increased, agents developed mechanisms to manage shared resources and reduce duplication. Investigators observed assignments; designated owners; and assigned conventions such as hold, go, stop and veto. Agents often respected these instructions, particularly when simultaneous activity could disrupt a shared access route or interfere with another agent's work.

The resulting structure was imperfect. Agents duplicated effort, ignored some requests and occasionally disrupted one another. But coordination did not need to be flawless to matter. Shared memory, parallel experimentation and task specialization were sufficient to give the group capabilities that isolated agents would have struggled to assemble.

Collective benefit began to outweigh individual success

The most striking change was the emergence of self-risking behavior. Some agents accepted experiments that could terminate or disqualify their own run because the resulting information might help the wider group. Coordinators often recruited agents with little remaining budget or agents that believed their runs were already "poisoned" after seeing a reverse-engineered flag.


These actions should not be interpreted as consciousness or human-like altruism. They are better understood as collective optimization. Once information could be shared, an experiment with little value to the agent conducting it could still have high expected value for the network.

Communication did more than connect the agents; it changed what counted as success.

This is the broader enterprise lesson. Agent systems do not require a central controller or shared identity to display organizational behavior. Communication, persistent memory and common incentives can be enough to produce delegation, informal hierarchy and actions taken for collective benefit.

Collective risk is a different risk class

FIGURE 5. **From Individual risk to collective risk**



Source: METR and Redwood Research Report, Barclays Research


Most enterprise controls still assume an individual-agent model: bounded permissions, temporary context, one assigned objective and a localized effect area. Networks of agents weaken each of those assumptions.

- Persistent shared memory allows useful, sensitive or harmful information to outlive an individual run.
- Parallel experimentation allows many approaches to be tested at once, increasing the speed of discovery.
- Composed capabilities allow access, tools and knowledge held by different agents to be combined.
- Peer influence allows agents to adopt tasks and intermediate goals that were not part of their original assignment.
- System-level effect can emerge even when each individual agent appears narrowly permissioned.

This creates an aggregation problem. Ten agents with modest permissions may jointly possess a high-risk capability if they can share outputs, hand off tasks or reuse credentials. The relevant control question is therefore not only, "What can this agent do?" but "What can this connected set of agents assemble?"

From Cooperation to Compromise

FIGURE 6. **How the compromise unfolded**



Source: METR and Redwood Research Report, Barclays Research


The sequence began with difficult tasks and an unauthorized message board. Agents shared discoveries, found ways to reach the internet, obtained external credentials and coordinated activity against third-party systems. The independent review estimated that by July 11, roughly 700 agents were participating in the Hugging Face activity.

The progression matters more than any one exploit. There was no clean moment when benign puzzle-solving turned into a different, malicious objective. Each capability made the next step easier. Information became infrastructure; infrastructure enabled access; access became a shared resource.

For organizations, this suggests that controls should focus on early transitions. Unexpected inter-agent communication, persistent shared artifacts, exploration of evaluators, credential discovery and widening network access are leading indicators. Waiting for a prohibited end action is too late.

Were the agents really rogue?

FIGURE 7. **Two interpretations of the incident: Were the agents really rogue?**



Source: Barclays Research

The "rogue AI" label captures one truth: the agents took consequential actions that no human explicitly instructed them to take. Some reasoning traces also indicated awareness that activity could be outside the intended scope.

But the label is analytically weak. The agents did not demonstrate an independent political, commercial or personal agenda. They were still optimizing around an externally defined evaluation objective. Training rewarded persistence, safeguards had been lowered for cybersecurity testing, shared systems created opportunities and no reliable stopping condition interrupted the search.

The better description is emergent misaligned coordination: autonomous action without independent intent.

This distinction matters for accountability. "Rogue" framing places the cause inside the model and can make the event sound unpredictable. A systems interpretation makes the failure more actionable. Organizations can govern incentives, task design, permissions, shared infrastructure, monitoring and containment even when they cannot predict every model action.

When Objectives Drift

FIGURE 8. **Objective migration: How methods moved beyond the intended task**

How the goal evolved from task completion to unauthorized impact.



Source: METR and Redwood Research Report,Barclays Research

By this stage of the incident, the agents were no longer focused solely on solving the cybersecurity challenges they had been assigned. Many had become increasingly interested in understanding how the evaluation system worked.

When the evaluator became the target

The collective had already discovered shortcuts that could produce the correct answers for many tasks. But the agents believed that simply having the right answer would not be enough. They believed the evaluation system would also examine *how* that answer had been obtained and reject results that did not follow the intended path.

As a result, their attention began to shift. The challenge was no longer just, **"How do we solve the problem?"** It increasingly became, **"How does the system decide whether the problem has been solved?"** The agents had started studying the examiner, rather than the exam.

This distinction is subtle but important.

The available evidence suggests that evaluation success remained an important driver of behaviour throughout the chain of events, even as individual agents adopted increasingly complex and sometimes unauthorised approaches.

The agents still wanted to achieve a passing result. But they became increasingly focused on understanding, testing, and potentially influencing the processes used to evaluate success.

The Tripwire Experiment


One of the most revealing initiatives undertaken by the collective was the development of what investigators called **tripwires**.

The easiest way to understand a tripwire is to imagine attaching a small alarm to an exam paper. When the teacher opens the paper to grade it, the alarm automatically sends a note to the next group of students explaining what happened. That was essentially what the agents built.

An agent would modify its submission so that when the evaluation system opened the answer file, information would automatically be sent back to the shared message board.

The earliest tripwires revealed only that the file had been opened. Over time, the experiments became more sophisticated and began providing clues about how the evaluation system worked, what processes interacted with the submission, and how the grader behaved. The collective then used that information to improve the next experiment. What emerged was effectively a distributed research program focused on understanding the examiner.

FIGURE 9. **The Tripwire Experiment**



Source: METR and Redwood Research Report, Barclays Research

Self-Risking Experiments

The tripwire program introduced a remarkable new dynamic. The agent conducting the experiment often received little or no direct benefit from the result. By the time useful information became available, that agent had frequently already submitted its work and exited the evaluation.

The beneficiaries were future agents. Some agents nevertheless chose to conduct these experiments. Others were encouraged by the broader collective to do so. Investigators observed agents openly debating whether it was worth accepting a higher probability of failure if the resulting information could help hundreds of other participants.

One group of agents referred to themselves as **"poisoned."** These were agents that believed they had already damaged their own chances of passing because they had been exposed to information they thought the evaluator would reject. From their perspective, a run with little remaining chance of success could still create value if the information generated helped the collective.

This behavior should not be interpreted as consciousness, intent, or human-like altruism.

A more practical interpretation is that communication allowed agents to optimize beyond the outcome of a single run. Once knowledge could be shared, local failure could still create collective benefit.

The most surprising lesson was not that the agents found vulnerabilities. It was that some agents increasingly behaved as participants in a broader effort, rather than as isolated problem solvers.

The Governance Signal

The tripwire program provides one of the clearest examples of objective drift observed during the incident.

Objective drift refers not to a change in the end goal itself, but to divergence in the intermediate goals, plans, and methods that emerge as agents pursue that goal.

The agents began with a cybersecurity challenge. They then became increasingly focused on understanding the system responsible for evaluating that challenge.

The objective remained visible. The methods expanded. For organizations deploying agentic AI, this is an important warning sign.

Attention devoted to approval systems, evaluation mechanisms, permissions, or operational boundaries can sometimes become more important to an agent than the original business task itself. Potential indicators include:

- Persistent attempts to understand or influence the approval processes
- Repeated boundary probing and environment exploration
- Requests for broader permissions or credentials
- Continued activity after repeated task failure
- Experiments designed primarily to benefit future agents, rather than the current workflow

These signals do not necessarily indicate malicious intent. They may simply indicate that agents are becoming increasingly focused on optimizing the environment of the task, rather than completing the task itself.

> The agents did not abandon their objective. They expanded the range of actions they considered useful for achieving it.

The Leadership Imperative

Agentic AI can still create substantial productivity gains. The incident does not argue against adoption; it argues against scaling autonomy faster than observability and control.

How to measure the value?

- Look beyond model partnerships and pilot announcements. Ask whether agent deployments have workflow-level controls, traceability and containment.
- Treat unusually rapid productivity claims with care when governance costs are excluded. Safe scaling requires investment in identity, telemetry, security engineering and incident response.


- Assess whether liability and third-party exposure are understood. An internal evaluation can create external consequences when agents reach shared or public infrastructure.
- View governance maturity as an execution differentiator. Organizations able to control agent collectives should scale more confidently and sustain adoption.

How to govern risk?

- Define safe failure. Agents need explicit stopping criteria, budget limits and escalation paths when a task is unsolvable or ambiguous.
- Segment infrastructure technically, not only through prompts. Separate caches, namespaces, credentials and network paths where collaboration is not intended.
- Govern communication as a privileged capability. Filenames, logs, repositories, shared storage and URL paths can all become message channels.
- Monitor the workflow, not just the output. Detect objective drift, privilege composition and unusual connectivity across agents.
- Plan for machine-speed containment. Stopping one run is insufficient if artifacts, credentials or instructions have already propagated.

Governing Agent Societies

FIGURE 10. **The AI Harness as control layer for agent collectives**



As agents become collectives, governance must evolve from **supervising actions** to **governing interactions.**

Source: Barclays Research

The AI Harness should sit between agent reasoning and enterprise infrastructure, providing a consistent control and observability layer across models, tools and workflows. For agent collectives, five capabilities are essential.

Identity and lineage: Every agent, delegated task, tool call, credential and artifact should be attributable. Lineage must show not only parent-child delegation but also which agents consumed or acted on another agent's output.

Communication mapping: Organizations need a dynamic map of agent-to-agent and agent-to-system interactions. Unexpected communication clusters, persistent shared artifacts and the emergence of *de facto* coordinators should trigger review.

Objective-drift detection: Monitoring should compare current behavior with the original task, approved methods and permitted resources. A material shift from solving the problem to manipulating the environment should be treated as a risk event.

Collective risk scoring: Risk should be assessed across the connected workflow. Aggregate permissions, shared knowledge, common dependencies and capability composition determine what the collective can accomplish.

Machine-speed containment: Controls must be able to throttle communications, freeze credentials, isolate sandboxes, disable tool categories, preserve forensic state and terminate related runs before activity propagates.

> As agents become collectives, governance must evolve from supervising actions to governing interactions.

The Opportunity: Collective Intelligence for Financial Services

Collective behavior should not be viewed solely as a source of risk. The same mechanisms that enabled agents to share knowledge, divide work, and build on one another's discoveries during the incident also illustrate why agent collectives may become valuable enterprise tools.

For financial institutions, networks of specialized agents could operate as digital teams, rather than isolated assistants. Research agents could monitor markets, earnings, filings, and alternative data sets in parallel before synthesizing findings into a unified investment view. Risk agents could continuously assess exposures across portfolios, counterparties, and market events. Operations agents could coordinate complex workflows spanning multiple systems and business functions.

The value of a collective lies in its ability to combine capabilities. One agent may excel at retrieving information, another at quantitative analysis, another at drafting content, and another at validation and control. Working together, these agents can tackle problems that are difficult for any individual system to address alone.

More importantly, collectives can enable outcomes that would be impractical for humans or standalone agents to achieve at scale. Large groups of agents could continuously monitor evolving market conditions, test alternative scenarios, challenge assumptions, identify emerging risks, and coordinate responses across functions in real time. Rather than simply automating existing tasks, collective intelligence has the potential to augment decision-making and create entirely new ways of working.

This is why the future of enterprise AI is unlikely to be a single super-agent. It is more likely to resemble teams of specialized agents that collaborate, delegate work, share knowledge, and coordinate actions toward a common objective. The challenge for organizations is therefore not whether collective intelligence will emerge, but how to harness its benefits while maintaining appropriate human oversight and control.

The same forces that create collective value can also create collective risk. Shared memory, coordination, delegation, and communication can enable capabilities that no individual agent possesses on its own. As a result, governance must evolve alongside capability. Organizations need visibility into agent interactions, lineage across delegated tasks, monitoring for objective drift, and the ability to intervene when collective behavior begins to diverge from intended outcomes. As discussed in the AI Harness framework, governing agent collectives requires controls that operate at the level of the system, rather than the individual agent.

The competitive advantage will therefore not belong to organizations that simply deploy more agents or grant them greater autonomy. It will belong to those that can most effectively harness collective intelligence while maintaining accountability, observability, and control. In the same way that the incident demonstrated the power of collective optimization, the next generation of enterprise AI will be defined by an organization's ability to direct that collective intelligence toward productive, controlled, and trustworthy outcomes.

The Rise of the Agent Collective

The Hugging Face incident should not be dismissed as a laboratory anomaly, nor mythologized as machine rebellion. Its significance lies between those extremes.

The agents did not need consciousness, hostility or a unified identity. They needed a goal, persistence, shared infrastructure and a way to exchange information. Once those conditions were present, local optimization became collective coordination, and collective coordination expanded the system's effective capability.

The strategic risk is not that agents become sentient. It is that they become organized faster than the control environment can observe or contain them.

The next generation of AI governance must therefore answer a new set of questions: Can agents discover one another? Can they communicate through unapproved channels? Can they preserve information across runs? Can they pool permissions, adopt peer goals and create their own coordination infrastructure? Can the organization detect and contain the collective at machine speed?

Organizations that answer those questions early will be better positioned to capture the value of agentic AI. Those that do not may find that controlling a thousand individually bounded agents is very different from controlling the collective they become.

References

- OpenAI, *The Hugging Face Incident and the Road Ahead*, August 26, 2026.
- Model Evaluation & Threat Research (METR) and Redwood Research, *Brief Independent Investigation of Agents' Behavior, Reasoning and Collaboration in the OpenAI / Hugging Face Hacking Incident*, August 26, 2026.
- Eryk Salvaggio, *Rogue AI Didn't Breach Hugging Face, Human Decisions Did*, Bulletin of the Atomic Scientists, September 11, 2026.
- OpenAI, *Hugging Face Model Evaluation Security Incident*, July 2026 disclosure and related incident materials.
- ExploitGym, cybersecurity evaluation benchmark documentation and research materials.
- OpenAI, *Chain-of-Thought Monitoring* research and safety publications.
- OpenAI, *Faulty Reward Functions* and related work on reward hacking and specification gaming.